



LITINOVÝ POKLOP B125




| DN (mm) | H1 (mm) | | H2 (mm) | |
|---------|---------|-----|---------|-----|
| | KG | UR | KG | UR |
| 110 | 239 | X | 102 | X |
| 160 | 290 | X | 102 | X |
| 200 | 340 | 650 | 102 | 102 |
| 250 | 674 | 674 | 220 | 220 |
| 315 | 707 | 707 | 220 | 220 |
| 450 | X | 809 | X | 220 |


KANALIZAČNÍ ŠACHTA Ø 315 S LITINOVÝM POKLOPEM B125 A S TELESKOPICKOU ROUROU

Šachtová dna z PP

Typ I (přímý tok)


| ROZMĚRY | | | KOD | | F1 | Dy3 | H1 | H2 | L1 | Z |
|------------|----------|----------|-----|--|------|------|------|-------|------|------|
| Dy [mm] | KG | UR | | | [mm] | [mm] | [mm] | [mm] | [mm] | [mm] |
| pro 315 | | | | | | | | | | |
| 110 | IF310100 | – | | | 370 | 356 | 239 | 102,5 | 524 | 387 |
| 160 | IF311100 | – | | | 370 | 356 | 290 | 102,5 | 578 | 395 |
| 200 | IF312100 | | | | 370 | 356 | 340 | 102,5 | 612 | 416 |
| pro UR 200 | | IF352100 | | | 465 | 356 | 650 | 102,5 | 910 | 658 |
| | | | | | | | | | | |
| pro 425 | | | | | | | | | | |
| 110 | IF420100 | – | | | 506 | 480 | 400 | 200 | 524 | 387 |
| 160 | F421100 | – | | | 506 | 480 | 450 | 200 | 578 | 395 |
| 200 | IF422100 | | | | 506 | 480 | 500 | 200 | 605 | 415 |
| pro UR 200 | | IF452100 | | | 550 | 480 | 625 | 200 | 910 | 658 |


Typ II (pravý a levý přítok)

| ROZMĚRY | | KOD | | F1 | Dy3 | H1 | H2 | L1 | Z |
|------------|----------|----------|--|------|------|------|-------|------|------|
| Dy [mm] | KG | UR | | [mm] | [mm] | [mm] | [mm] | [mm] | [mm] |
| pro 315 | | | | | | | | | |
| 110 | IF310200 | – | | 470 | 356 | 239 | 102,5 | 524 | 387 |
| 160 | IF311200 | – | | 612 | 356 | 290 | 102,5 | 578 | 395 |
| 200 | IF312200 | | | 700 | 356 | 340 | 102,5 | 612 | 416 |
| pro UR 200 | | IF352200 | | 930 | 356 | 650 | 102,5 | 910 | 658 |
| | | | | | | | | | |
| pro 425 | | | | | | | | | |
| 110 | IF420200 | – | | 508 | 480 | 400 | 200 | 524 | 387 |
| 160 | IF421200 | – | | 620 | 480 | 450 | 200 | 578 | 395 |
| 200 | IF422200 | | | 720 | 480 | 500 | 200 | 605 | 415 |
| PRO UR 200 | | IF452200 | | 930 | 480 | 625 | 200 | 910 | 658 |


Typ III (pravý přítok)

| ROZMĚRY | | | KÓD | | F1 | Dy3 | H1 | H2 | L1 | Z |
|------------|----------|----------|-----|--|------|------|------|-------|------|------|
| Dy [mm] | KG | UR | | | [mm] | [mm] | [mm] | [mm] | [mm] | [mm] |
| pro 315 | | | | | | | | | | |
| 110 | IF310300 | – | | | 422 | 356 | 239 | 102,5 | 524 | 387 |
| 160 | IF311300 | – | | | 490 | 356 | 290 | 102,5 | 578 | 395 |
| 200 | IF312300 | | | | 540 | 356 | 340 | 102,5 | 612 | 416 |
| pro UR 200 | | IF352300 | | | 695 | 356 | 650 | 102,5 | 910 | 658 |
| pro 425 | | | | | | | | | | |
| 110 | IF420300 | – | | | 508 | 480 | 400 | 200 | 524 | 387 |
| 160 | IF421300 | – | | | 565 | 480 | 450 | 200 | 578 | 395 |
| 200 | IF422300 | | | | 615 | 480 | 500 | 200 | 605 | 415 |
| pro UR 200 | | IF452300 | | | 695 | 480 | 625 | 200 | 910 | 658 |



Typ IV (levý přítok)

| ROZMĚRY | | KOD | | F1 | Dy3 | H1 | H2 | L1 | Z |
|------------|----------|----------|--|------|------|------|-------|------|------|
| Dy [mm] | KG | UR | | [mm] | [mm] | [mm] | [mm] | [mm] | [mm] |
| pro 315 | | | | | | | | | |
| 110 | IF310400 | – | | 422 | 356 | 239 | 102,5 | 524 | 387 |
| 160 | IF311400 | – | | 490 | 356 | 290 | 102,5 | 578 | 395 |
| 200 | IF312400 | | | 540 | 356 | 340 | 102,5 | 612 | 416 |
| pro UR 200 | | IF352400 | | 465 | 356 | 650 | 102,5 | 910 | 658 |
| pro 425 | | | | | | | | | |
| 110 | IF420400 | – | | 508 | 480 | 400 | 200 | 524 | 387 |
| 160 | IF421400 | – | | 565 | 480 | 450 | 200 | 578 | 395 |
| 200 | IF422400 | | | 615 | 480 | 500 | 200 | 605 | 415 |
| pro UR 200 | | IF452400 | | 695 | 480 | 625 | 200 | 910 | 658 |

KANALIZAČNÍ ŠACHTY DN 315 A DN 425


Popis výrobků

Šachtová dna z PE




Typ I (přímý tok)

| ROZMĚRY | | | KÓD | | F1 | Dy3 | H1 | H2 | L1 | Z |
|---------|----------|----------|-----|--|------|------|------|------|------|------|
| Dy [mm] | KG | UR | | | [mm] | [mm] | [mm] | [mm] | [mm] | [mm] |
| pro 315 | | | | | | | | | | |
| 250 | IF313100 | IF353100 | | | 465 | 356 | 674 | 220 | 958 | 676 |
| 315 | IF314100 | IF354100 | | | 465 | 356 | 707 | 220 | 1070 | 760 |
| 400 | - | - | | | - | - | - | - | - | - |
| 450 | - | IF358100 | | | 465 | 356 | 848 | 220 | 1215 | 857 |
| pro 425 | | | | | | | | | | |
| 250 | IF423100 | IF453100 | | | 550 | 480 | 665 | 220 | 958 | 676 |
| 315 | IF424100 | IF454100 | | | 550 | 480 | 720 | 220 | 1070 | 760 |
| 400 | IF425100 | IF455100 | | | 550 | 480 | 807 | 220 | 1188 | 822 |
| 450 | - | IF458100 | | | 465 | 480 | 848 | 220 | 1215 | 857 |
| 560 | - | IF456100 | | | 465 | 480 | 960 | 220 | 1065 | 718 |




Typ II (pravý a levý přítok)

| ROZMĚRY | | | KÓD | | F1 | Dy3 | H1 | H2 | L1 | Z |
|---------|----------|----------|-----|--|------|------|------|------|------|------|
| Dy [mm] | KG | UR | | | [mm] | [mm] | [mm] | [mm] | [mm] | [mm] |
| pro 315 | | | | | | | | | | |
| 250 | IF313200 | IF353200 | | | 1010 | 356 | 674 | 220 | 958 | 676 |
| 315 | IF314200 | IF354200 | | | 1195 | 356 | 707 | 220 | 1070 | 760 |
| 400 | - | - | | | - | - | - | - | - | - |
| 450 | - | IF358200 | | | 1522 | 356 | 848 | 220 | 1215 | 857 |
| pro 425 | | | | | | | | | | |
| 250 | IF423200 | IF453200 | | | 1010 | 480 | 665 | 220 | 958 | 676 |
| 315 | IF424200 | IF454200 | | | 1195 | 480 | 720 | 220 | 1070 | 760 |
| 400 | IF425200 | IF455200 | | | 1460 | 480 | 807 | 220 | 1188 | 822 |
| 450 | - | IF458200 | | | 1522 | 480 | 848 | 220 | 1215 | 857 |



Typ III (pravý přítok)

| ROZMĚRY | | | KÓD | | F1 | Dy3 | H1 | H2 | L1 | Z |
|---------|----------|----------|-----|--|------|------|------|------|------|------|
| Dy [mm] | KG | UR | | | [mm] | [mm] | [mm] | [mm] | [mm] | [mm] |
| pro 315 | | | | | | | | | | |
| 250 | IF313300 | IF353300 | | | 740 | 356 | 674 | 220 | 958 | 676 |
| 315 | IF314300 | IF354300 | | | 830 | 356 | 707 | 220 | 1070 | 760 |
| 400 | - | - | | | - | - | - | - | - | - |
| 450 | - | IF358300 | | | 1037 | 356 | 848 | 220 | 1215 | 858 |
| pro 425 | | | | | | | | | | |
| 250 | IF423300 | IF453300 | | | 740 | 480 | 665 | 220 | 958 | 676 |
| 315 | IF424300 | IF454300 | | | 830 | 480 | 720 | 220 | 1070 | 760 |
| 400 | IF425300 | IF455300 | | | 1000 | 480 | 807 | 220 | 1188 | 822 |
| 450 | - | IF458300 | | | 1037 | 480 | 848 | 220 | 1215 | 858 |



Typ IV (levý přítok)


| ROZMĚRY | | | KÓD | | F1 | Dy3 | H1 | H2 | L1 | Z |
|---------|----------|----------|-----|--|------|------|------|------|------|------|
| Dy [mm] | KG | UR | | | [mm] | [mm] | [mm] | [mm] | [mm] | [mm] |
| pro 315 | | | | | | | | | | |
| 250 | IF313400 | IF353400 | | | 740 | 356 | 674 | 220 | 958 | 676 |
| 315 | IF314400 | IF354400 | | | 830 | 356 | 707 | 220 | 1070 | 760 |
| 400 | - | - | | | - | - | - | - | - | - |
| 450 | - | IF358400 | | | 1037 | 356 | 848 | 220 | 1215 | 858 |
| pro 425 | | | | | | | | | | |
| 250 | IF423400 | IF453400 | | | 740 | 480 | 665 | 220 | 958 | 676 |
| 315 | IF424400 | IF454400 | | | 830 | 480 | 720 | 220 | 1070 | 760 |
| 400 | IF425400 | IF455400 | | | 1000 | 480 | 807 | 220 | 1188 | 822 |
| 450 | - | IF458400 | | | 1037 | 480 | 848 | 220 | 1215 | 858 |

Pozn.: Pro potrubí Ultra-Rib dle normy DIN nutno použít šachtové dno pro potrubí KG + přechod UR x KG (čep x hrdlo) dle normy DIN

KANALIZAČNÍ ŠACHTY Katalog výrobků 2007

www.wavinekoplastik.cz
www.wavin.cz

KANALIZAČNÍ ŠACHTY


Šachtová korugovaná roura

Šachtová korugovaná roura

■ S hrdlem, bez hrdla

| ROZMĚRY | KÓD | Dy | Du | H1 | H2 | L1 |
|--------------|----------|------|------|------|------|------|
| Dy [mm] | | [mm] | [mm] | [mm] | [mm] | [mm] |
| 315 x 1250 | IP317100 | 315 | 353 | 1250 | – | 55 |
| 315 x 2000 | IP317200 | 315 | 353 | 2000 | – | 55 |
| 315 x 3000 | IP317300 | 315 | 353 | 3000 | – | 55 |
| **315 x 6000 | IP317600 | 315 | 353 | 6000 | – | 55 |
| 425 x 1250 | IP427100 | 425 | 476 | 1250 | – | 75 |
| 425 x 2000 | IP427200 | 425 | 476 | 2000 | – | 75 |
| 425 x 3000 | IP427300 | 425 | 476 | 3000 | – | 75 |
| **425 x 6000 | IP427600 | 425 | 476 | 6000 | – | 75 |
| *315 x 3000 | IP357300 | 315 | 353 | 3250 | 3000 | 55 |
| *425 x 3000 | IP457300 | 425 | 476 | 3290 | 3000 | 75 |


* s hrdlem

** na objednávku


Spojka šachtové roury

Spojka šachtové roury

■ Se 2 kusy těsnění

| ROZMĚRY | KÓD | Dy | Du | L1 |
|---------|----------|------|------|------|
| Dy [mm] | | [mm] | [mm] | [mm] |
| 315 | IF323000 | 315 | 325 | 305 |
| 425 | IF324000 | 425 | 440 | 410 |

Teleskopická roura

Teleskopická roura

| ROZMĚRY | KÓD | Dy | H1 |
|-----------|----------|------|------|
| Dy [mm] | | [mm] | [mm] |
| 315 x 375 | IF318300 | 315 | 375 |
| 315 x 750 | IF318700 | 315 | 750 |
| 425 x 375 | IF428300 | 425 | 375 |
| 425 x 750 | IF428700 | 425 | 750 |

Redukce

**Redukce z šachtové roury
na teleskopickou rouru**

■ 315/425

| ROZMĚRY | KÓD | H1 | H2 | H3 | H4 |
|-----------|----------|------|------|------|------|
| Dy [mm] | | [mm] | [mm] | [mm] | [mm] |
| 425 x 315 | IF254300 | 573 | 180 | 181 | 195 |